

*English*



*Innovation in Spirometry Oximetry Telemedicine*

[www.spirometry.com](http://www.spirometry.com)  
[www.oximetry.com](http://www.oximetry.com)

## MIR Group Organization

### MIR Medical International Research

(Headquarters)

**Rome – ITALY**

*Research & Development*

*Designing*

*Marketing*

*Warehouse*

*Distribution (Worldwide)*

### MIR PRODUCTION

**Teramo – ITALY**

*Warehouse*

*Assembling*

*Testing*

### MIR SERVICE

**Rome – ITALY**

*Quality Control*

*Service*

### MIR Medical International Research USA, Inc.

**Wisconsin – USA**

*Warehouse*

*Distribution (US Market)*

*Service*

### MIR FRANCE (Partnership)

**Montpellier – FRANCE**

*Distribution (France and North Africa)*

*Service*

MIR  
USA



MIR  
Teramo



MIR  
France



MIR  
Rome



## About MIR

MIR is a global medical device company founded in 1993, and today is present in more than 93 countries worldwide.

For more than 20 years the company has been internationally recognized for its numerous innovations and advancements in three different market areas: Spirometry, Oximetry and Telemedicine.



MIR offers advanced technological solutions and manufactures accurate and reliable medical instruments which have become milestones in Pulmonary Function Screening and Clinical Trials.




**reddot** design award

One of the distinctive features of the MIR products is their exclusive design which has been awarded repeatedly at an international level with the prestigious Reddot design award.



The cornerstone of our Spirometry technology is the FlowMIR the first and only internationally patented DISPOSABLE TURBINE.

*Telemedicine*



*Spirometry*

*Oximetry*

The new range of MIR products meet the needs of clinicians, physicians and patients. In addition to connecting to PC-Windows via USB and Bluetooth<sup>®</sup>, MIR provides the ability to connect to Tablets and Smart Phones, an ideal solution for customers who wish to use these technologically advanced devices combined with our diagnostic instruments.

MIR is able to provide customizable solutions and tools which empower systems integrators involved in Home Care and Clinical Trials projects.

INTERNATIONAL  
PATENT



## FlowMir®

Disposable Turbine Flowmeter  
MIR exclusive product  
International patent

*Each turbine, which includes a cardboard mouthpiece, has been individually factory tested with a computerized system*

*It comes standard in a dispenser of 50 pcs*

*FlowMIR® is an inexpensive alternative to a costly reusable flowmeter and replaces the need for an antibacterial filter*

*A full Spirometry session can be performed, including a Bronchial Challenge and POST Bronchodilator test*

*For each patient, after the Spirometry test, both turbine and mouthpiece are thrown away*

*Two types of turbine flowmeters available:*



MIR Disposable Turbine



MIR Reusable Turbine

*The reusable turbine is manufactured with **high-tech materials** – including special alloys and synthetic sapphires – for **durability** while **retaining the features of reproducibility and accuracy** even after many years of use*



Comfortable Packaging



Singularly Tested and Packed



Eliminates staff clean-up time



No Sterilisation



No Calibration



No Cross Contamination



No Antibacterial Filter



Always 100% accurate and hygienic



ATS/ERS Compliant for accuracy



Not affected by Vapour Condensation



Not affected by Ambient conditions



The Best Sensor for Spirometry



Each function can be activated by a simple touch on the intuitive bar menu always present on the screen

# Spirolab® Bluetooth®

7 inch Touchscreen

All in one portable Desktop Spirometer with Oximetry option

Wireless Real Time test on PC via Bluetooth®

Database up to 10,000 Spirometry tests or 900 hours of Oximetry recording coupled with powerful and flexible search services

Fast and silent built-in printer with customizable printout format

Long life Rechargeable Battery



## Always included:

- ✓ Elegant and robust carrying case
- ✓ Winspiro PRO® PC software with free update



### Optional function available:

Oximeter with adult or paediatric finger probe



Available with both DISPOSABLE or REUSABLE turbine flowmeter



**Spirometry test:** FVC, VC, IVC, MVV, PRE/POST Bronchodilator comparison with a wide range of selectable parameters



Direct connection to an external USB printer



### MIR exclusive patent:

Paediatric incentive system directly on the screen, helpful to improve patient compliance during a Spirometry test

## Spirometry parameters

FVC, FEV1, FEV1/FVC, FEV1/VC, PEF, FEF25, FEF50, FEF75, FEF25-75, FEF75-85, Lung Age, Extrap. Volume, FET, Time to PEF, FEV0.5, FEV0.5/FVC, FEV0.75, FEV0.75/FVC, FEV2, FEV2/FVC, FEV3, FEV3/FVC, FEV6, FEV1/FEV6, FEV1/PEF, FEV1/FEV0.5, FIVC, FIV1, FIV1/FIVC, PIF, FIF25, FIF50, FIF75, FEF50/FIF50, VC, IVC, IC, ERV, IRV, Rf, VE, VT, t<sub>i</sub>, t<sub>E</sub>, VT/t<sub>i</sub>, t<sub>E</sub>/t<sub>TOT</sub>, MVV measured, MVV calculated

## Oximetry parameters

only available with oximetry option (optional)

%SpO2 and Pulse Rate (Min, Max, Average), Test duration, Total SpO2 Events, T90% (SpO2 time ≤89%), T89% (SpO2 time ≤88%), T40 (Bradycardia duration with Pulse Rate <40 BPM), T120 (Tachycardia duration with Pulse Rate >120 BPM)



reddot design award



Detachable flowmeter head to facilitate Oximetry test during 6 Minute Walk Test

## Spirodoc® Bluetooth®

4 in One: Touchscreen Spirometer, 3D Oximeter®, Triaxial Accelerometer and eDiary

Wireless Real Time test on PC via Bluetooth®

Long life Rechargeable Battery

Unique feature: can be configured for both Doctor's Office or for Patient Home use



Fully featured stand alone Oximeter



eDiary with on-screen Symptoms entry



**Always included:** Winspiro PRO® PC software with free update



**Optional function available:**  
Oximeter with adult or paediatric finger probe



**Available with both DISPOSABLE or REUSABLE turbine flowmeter**



**Spirometry test:**  
FVC, VC, IVC, MVV, PRE/POST Bronchodilator comparison with a wide range of selectable parameters



**Optional function available:**  
3D Oximeter® with adult or paediatric finger probe including device holder with belt for easy Sleep test Desaturation Analysis, 6 Minute Walk Test and daytime Physical Activity Measurement coupled with Desaturation Events

### Spirometry parameters

FVC, FEV1, FEV1/FVC, FEV1/VC, PEF, FEF25, FEF50, FEF75, FEF25-75, Lung Age, Extrap. Volume, FET, FEV3, FEV3/FVC, FEV6, FEV1/FEV6, FIVC, FIV1, FIV1/FIVC, PIF, VC, IVC, IC, ERV, Rf, VE, VT,  $t_i$ ,  $t_E$ , VT/ $t_i$ ,  $t_E$ / $t_{TOT}$ , MVV measured, MVV calculated

### 6 Minute Walk Test (specific parameters)

O2-Gap, Estimated Distance, Walked Distance, Predicted Distance (Min, Standard),  $\Delta T2\%$  ( $SpO_2 \geq 2\%$ ),  $\Delta T4\%$  ( $\Delta SpO_2 \geq 4\%$ ), Time (Rest, Walking, Recovery), Desaturation Area/Distance Optional dataentry: BorgDyspnea(Baseline,End,Change), BorgFatigue(Baseline, End, Change), Arterial blood pressure (Systolic, Diastolic), Oxygen administered

### Main Oximetry parameters

$SpO_2$  and Pulse Rate (Baseline, Min, Max, Average),  $T90\%$  ( $SpO_2 < 90\%$ ),  $T89\%$  ( $SpO_2 < 89\%$ ),  $T88\%$  ( $SpO_2 < 88\%$ ),  $T5\%$  ( $\Delta SpO_2 > 5\%$ ),  $\Delta Index$  (12s),  $SpO_2$  Events, Pulse Rate Events (Bradycardia, Tachycardia), Step counter, Physical Activity (VMU), Recording time, Analysis time

### Sleep analysis (specific parameters)

Body position,  $SpO_2$  Events, Desaturation Index (ODI), Desaturation (Mean Value, Mean duration, Longest duration, Nadir Peak),  $\Delta SpO_2$  (Min Drop, Max Drop), Total Variations, Pulse Rate Index,  $NOD89\%$  ( $SpO_2 < 89\%$ ;  $> 5min$ ),  $NOD4\%$  ( $SpO_2$  Basale-4%;  $> 5min$ ),  $NOD90\%$  ( $SpO_2 < 90\%$ ; Nadir  $< 86\%$ ;  $> 5min$ )



reddot design award



# Spirotel® Bluetooth®

4 in One for Home use:  
Touchscreen Spirometer, 3D Oximeter®,  
Triaxial Accelerometer and eDiary

3D Oximeter® with triaxial accelerometer allows to correlate  
SpO2 Desaturation Events, patient Physical Activity and Body  
Position during data recording

The best solution for remote management in Asthma, COPD,  
Cystic Fibrosis and Lung Transplant

Ideal for Clinical Trials with customizable protocols

Long life Rechargeable Battery



Embedded GSM Module with SIM Card  
to send the test results via Email

Bluetooth® wireless communication



On screen Plethysmographic Curve



Always included: Winspiro PRO® PC software with free update



Optional function available: Oximeter with adult  
or paediatric finger probe; Bluetooth module, GSM module



Customizable eDiary



Easy integration in third party Telemedicine Platforms

Integrated with  
**2net**  
by Qualcomm Life



Large selection of languages

# Spirobank II®

Spirometer with Oximetry option  
4 versions available



## SPIROBANK II® BASIC Simplified Spirometer

Essential spirometry for primary care.  
Stand alone and real-time tests  
on PC via USB.



## SPIROBANK II® ADVANCED Spirometer with Oximetry option

Complete respiratory analysis.  
Stand alone and real-time tests  
on PC via USB or Bluetooth®.




## SPIROBANK II® ADVANCED PLUS Spirometer and Oximeter

Minilab for respiratory specialists.  
SpO2 and pulse rate directly on screen  
with plethysmographic curve.  
Stand alone and real-time tests  
on PC via USB or Bluetooth®.



## SPIROBANK II® SMART Spirometer with Oximetry option for iPad

A smarter way to perform spirometry!  
Includes a virtual assistant supporting  
the operator before, during and after  
spirometry test.  
Stand alone and real-time tests  
on iPad via Bluetooth® Smart.  
Also connectable to the PC via USB.



Spirometry report

Virtual Assistant



# Spirobank II<sup>®</sup>

Memory up to 10.000 Spirometry tests or 900 hours of Oximetry (optional)

On screen results and curves preview for immediate data assessment

Long life rechargeable battery

	Smart	Basic	Advanced	Advanced plus
iPad Software	✓	—	—	—
PC Software	✓	✓	✓	✓
High resolution display	✓	✓	✓	✓
Traffic light indicator	✓	✓	✓	✓
Main Spirometry parameters	✓	✓	✓	✓
Additional Spirometry parameters	✓*	—	✓	✓
POST Bronchodilator test	✓	✓	✓	✓
Bluetooth Smart	✓	—	—	—
Bluetooth 2.1	—	—	✓	✓
Oximeter	○	—	○	✓
Battery charger	○	○	○	✓

\* Available only using Winspiro PRO<sup>®</sup> PC software

✓ Standard

— Not Available

○ Optional



**Always included:**

Winspiro PRO<sup>®</sup> PC software with free update



**Optional function available:**

Oximeter with adult or paediatric finger probe  
(for Advanced, Advanced+ & Smart versions)



Available with both DISPOSABLE  
or REUSABLE turbine flowmeter



Also available for iPad (Smart version)

Main spirometry parameters available on Smart version  
using new iSpirometry App:

FVC, FEV1, FEV1%, PEF, FEF25–75, FET, Lung Age, VC, IVC

Optional Oximetry parameters available on Smart version  
using new iOximetry App:

%SpO2 and Pulse Rate (Min, Max, Average)

Main Spirometry parameters available on Basic, Advanced  
and Advanced plus version:

FVC, FEV1, FEV1%, PEF, FEF25–75, FET, Extrap. Volume,  
Lung Age, VC, IVC, IC, ERV

Spirometry parameters available on Advanced & Advanced+ version:  
FVC, FEV1, FEV1/FVC, FEV1/VC, PEF, FEF25, FEF50, FEF75, FEF25–  
75, FEF75–85, Lung Age, Extrap. Volume, FET, Time to PEF, FEV0.5,  
FEV0.5/FVC, FEV0.75, FEV0.75/FVC, FEV2, FEV2/FVC, FEV3, FEV3/  
FVC, FEV6, FEV1/FEV6, FVC, FIV1, FIV1/FVC, PIF, FIF25, FIF50, FIF75,  
FEF50/FIF50, VC, IVC, IC, ERV, IRV, RR, Rf, VE, VT, t<sub>i</sub>, t<sub>E</sub>, VT/t<sub>i</sub>, t<sub>i</sub>/t<sub>TOT</sub>, MVV  
(measured), MVV (calculated)

Oximetry parameters available on Advanced & Advanced+ version:  
%SpO2 and Pulse Rate (Min, Max, Average), Test duration,  
T90% (SpO2 time ≤89%), T89% (SpO2 time ≤88%),  
T40 (Bradycardia duration with Pulse Rate <40 BPM),  
T120 (Tachycardia duration with Pulse Rate >120 BPM)



Always connected wirelessly to Bluetooth® Smart and Bluetooth® Smart Ready devices with extremely low battery consumption.

# Smart One®

Peak Flow and FEV1  
now available on your Smart Phone

## Simple and lightweight to carry on the go

Smart One® has been designed to satisfy the growing demand for wireless devices capable to connect to the new generation of Android and iOS Smart Phones and Tablets

Symptoms selection and easy scoring system with the option of multiple tapping to identify the intensity



Ideal for monitoring respiratory illnesses and in the self management of Asthma, COPD, Lung Transplant care, Cystic Fibrosis and for use in Clinical Trials




Smart One® comes with an App that includes an **exclusive Incentive for adults and children** based on both exhaled Flow and Volume that is helpful in improving subject's compliance




**New turbine flowmeter**  
with plastic mouthpiece for personal use easy to remove for cleaning

Upon request, MIR offers customizable protocols to allow third party developers to run their own App and provides ad-hoc tools in order to facilitate and empower systems integrators engaged in Health Care and Clinical Trials projects



## OEM Versions Available

MIR's knowledgeable staff is available to provide support to industrial partners that wish to OEM Smart One® and extend their range of diagnostic products



**Graphic trend of Peak Flow or FEV1**  
measurements including option to flag any test session. Test results history with Peak Flow, traffic light health indicator, symptoms scoring and notes



## Minispir®

Computer-based Spirometer  
with Oximetry option

*Real time Flow/Volume and Volume/Time curves with PRE/POST Bronchodilator comparison on your PC using Winspiro PRO® software*

*Includes a wide range of selectable parameters*

*Spirometry test interpretation*

*Embedded Temperature sensor for BTPS conversion*



**Always included:** Winspiro PRO® PC software with free update



**Optional function available:** Oximeter with adult or paediatric finger probe



**Available with both DISPOSABLE or REUSABLE turbine flowmeter**



**Spirometry test:** FVC, VC, IVC, MVV, PRE/POST Bronchodilator comparison with a wide range of selectable parameters

### Minispir® parameters

#### Spirometry parameters

FVC, FEV1, FEV1/FVC, FEV1/VC, PEF, FEF25, FEF50, FEF75, FEF25-75, Lung Age, Extrap. Volume, FET, FEV3, FEV3/FVC, FEV6, FEV1/FEV6, FIVC, FIV1, FIV1/FIVC, PIF, VC, IVC, IC, ERV, Rf, VE, VT,  $t_i$ ,  $t_E$ ,  $VT/t_i$ ,  $t_E/t_{TOT}$ , MVV

#### Oximetry parameters (optional)

%SpO2 and Pulse Rate (Min, Max, Average), T90% (SpO2<90%), T89% (SpO2<89%), T88% (SpO2<88%), T5% ( $\Delta$ SpO2>5%),  $\Delta$  Index (12s), SpO2 Events, Pulse Rate Events (Bradycardia, Tachycardia)

## Minispir Light®

Simplified Computer-based  
Spirometer

*Real time Flow/Volume and Volume/Time curves on your PC using Winspiro Light® software*

*COPD and Asthma screening have never been so intuitive and inexpensive*

*Includes a wide range of selectable parameters*

*Spirometry test interpretation*

*Embedded Temperature sensor for BTPS conversion*



**Always included:** Winspiro Light® simplified PC software with free update



**Optional function available:** POST Bronchodilator software feature



**Available with DISPOSABLE turbine flowmeter**



**Spirometry test:** FVC, VC, IVC.

### Minispir Light® parameters

#### Spirometry parameters

FVC, FEV1, FEV1%, FEV6, PEF, FEF25-75, FIVC, Lung Age, VC, IVC



# Spirolab III® Bluetooth®

Portable Desktop Spirometer  
with Oximetry option

Full alphanumeric keyboard with icon based function keys for intuitive use

Database up to 6,000 Spirometry tests or 400 hours of Oximetry recording coupled with powerful and flexible search services

Fast and silent built-in printer with customizable printout format

Long life Rechargeable Battery



## Always included:

- ✓ Elegant and robust carrying case
- ✓ Winspiro PRO® PC software with free update



## Optional function available:

Oximeter with adult or paediatric finger probe




Available with both DISPOSABLE or REUSABLE turbine flowmeter



## Spirometry test:

FVC, VC, IVC, MVV, PRE/POST Bronchodilator comparison with a wide range of selectable parameters



## MIR exclusive patent:

Paediatric incentive system directly on the screen, helpful to improve patient compliance during a Spirometry test

## Spirometry parameters

FVC, FEV1, FEV1/FVC, FEV1/VC, PEF, FEF25, FEF50, FEF75, FEF25-75, Lung Age, Extrap. Volume, FET, FEV3, FEV3/FVC, FEV6, FEV1/FEV6, FIVC, FIV1, FIV1/FIVC, PIF, VC, IVC, IC, ERV, RF, VE, VT, tI, tE, VT/tI, tE/tOT, MVV (measured), MVV (calculated)

## Oximetry parameters (Optional)

%SpO2 and Pulse Rate (Min, Max, Average), Test duration, Total SpO2 Events, T90% (SpO2 time ≤89%), T89% (SpO2 time ≤88%), T40 (Bradycardia duration with Pulse Rate <40 BPM), T120 (Tachycardia duration with Pulse Rate >120 BPM), Rapid Desaturation Analysis > 2,5 min. (ODI), Prolonged Desaturation Analysis < 5 min. (NOD), % Bradycardia Duration (<40 BPM), % Tachycardia Duration (>120 BPM), % of Time with SpO2 ≤ 90%, T90%, T89%, T88%, T87%

# MIR Software

MIR is world recognized for a wide range of software packages for specialists in respiratory illnesses, doctors and patients.

In order to best satisfy the numerous needs of customers, MIR's R&D team has developed a large number of software solutions. Please ask one of our sales representatives for customizable protocols and Apps available on request for special applications, innovative projects and Clinical Trials.

All MIR software are supplied with the guarantee of **free** update.

## *Professional software solutions for spirometry and oximetry*



### iSpirometry® & iOximetry®

*iOS based*

Simple and intuitive App for Spirometry and Oximetry test directly on your iPad and iPad mini



### Winspiro PRO® & Winspiro PRO Net®

*Windows based*

Complete and powerful software package for Specialists. Includes Telemedicine and Home Care Management



### Spiro Connect Interface

*Windows based*

Measure, visualize and transfer test results. The perfect solution for direct integration of Spirometry and Oximetry test on your existing Electronic Medical Record


## *Basic software solution for spirometry*



### Winspiro Light®

*Windows based*

Simple and intuitive for essential Spirometry test



Quanjer 2012-GLI  
Predicted values  
with LLN and Z-score

iOS based

# iSpirometry® & iOximetry®

Simple and intuitive App for Spirometry and Oximetry test directly on your iPad



Download on the  
**App Store**

**A smarter way to perform spirometry!**  
**Maximum ease of use in primary care**

**An expert beside you**

Highly innovative virtual assistant supporting the operator before, during and after the spirometry test with four main functions:

- ✓ didactic guide with recommendations for the correct execution of the test
- ✓ identification of the cause of errors during test execution
- ✓ suggestions both for the operator and for the patient to make an acceptable test
- ✓ automatic test interpretation

**Sharing is caring**

Changing our software experience, direct and simple as a tap, test can be printed, exported in pdf and sent by email.

The recorded data can be transferred in HL7 format to a web service for archiving tasks or for second opinions and are enabled for EMR access

**MIR exclusive patent**

Paediatric incentive system directly on the screen, helpful to improve patient compliance during a Spirometry test




iSpirometry® and iOximetry® is an App for iPad and iPad mini, and free updates are guaranteed.

The App is provided with the Smart version of SpirobankII®.



**Bluetooth®**  
SMART

Screenshot summary  
of all tests carried out



Windows based

# Winspiro PRO® & Winspiro PRO NET®

Complete and powerful software package for Specialists.  
Includes Telemedicine and Home Care Management

## Winspiro PRO®

Customizable PC software for Spirometry,  
Oximetry and Telemedicine projects

FVC, VC, IVC, MVV, Bronchodilator Reversibility, Bronchial  
Challenge with FEV1-response curve with protocols for both  
Methacholine and Mannitol

Paediatric Incentive for Spirometry

Home Care and Telemedicine management

Quanjer 2012-GLI Predicted values with LLN and Z-score

Patient Trend Charts for easy follow-up

Search engine for instant access to data

Specialized and customizable Printout

Wide choice of communication protocols ... and more

3D Oximeter® management, O2Gap Index,

Sleep Desaturation Analysis, 6 Minute Walk Test, Daytime

Physical Activity Report coupled with Desaturation Events



Sleep Test: Events and Body Position recording


## Winspiro PRO NET®

Network version of Winspiro PRO®  
PC software for Spirometry,  
Oximetry and Telemedicine

Complements the features of the client

version, by providing the capability to share a


single Database between different Network users



6 Minute Walk Test: Events and Physical Activity recording

Winspiro PRO® is compatible with Windows: XP, VISTA, 7, 8 and 10 Winspiro PRO®, it includes free updates, and is provided with Spirolab®, Spirodac®, Spirobank II®, Spirotel®, Minispir®, Spirolab III®

Winspiro PRO NET® includes free updates, and is provided on request



Windows based

# Spiro Connect

Measure, visualize and transfer test results.

The perfect solution for direct integration of Spirometry & Oximetry test on your existing Electronic Medical Record

*PC software for direct integration with EMR*

*Innovative and simple to use tool to integrate a Real Time Spirometry and Oximetry test with an Electronic Medical Record (EMR) or a Medical Practice Management software*

*Spiro Connect performs tests as a Slave systems and is Database-less, therefore it is no longer necessary to duplicate the patient's information*


*The essential patient data (age, height, gender, ethnicity) is sent just-in-time by the Master and is kept by Spiro Connect until medical test outcomes are sent back*

*Complete set of results is provided including main measured parameters, predicted values and graphic images for an easy integration process*

*Standardized communication in HL7 or Exchange Protocol*

*Detailed documentation on request and online support for all systems integrators*

*Spiro Connect is provided on request for special projects*



Windows based

# Winspiro Light®

Simple and intuitive for essential Spirometry test

Software for Real Time Spirometry on your PC

Simple and intuitive user interface with one main screen with all functions available

Ideal for primary care and occupational medicine

For each session produces a report with the 3 best tests including both Flow/Volume loop and Volume/Time curves that can be exported in .DOC or .PDF format

Wide range of selectable predicted values



Winspiro Light® includes free updates and is provided with Minispir Light® Spirometer



Optional function available:  
POST Bronchodilator software feature

Winspiro Light parameters

Spirometry parameters

FVC, FEV1, FEV1%, FEV6, PEF, FEF25-75, FIVC, Lung Age, VC, IVC



[www.spirometry.com](http://www.spirometry.com)  
[www.oximetry.com](http://www.oximetry.com)

## ITALY

### MIR Head Office

Via del Maggiolino, 125  
00155 Roma

**Tel.** +39 06 22 754 777  
**Fax** +39 06 22 754 785

[mir@spirometry.com](mailto:mir@spirometry.com)

## USA

### MIR USA, Inc.

1900 Pewaukee Road, Suite D  
Waukesha, WI 53188

**Phone** +1 (262) 565-6797  
**Fax** +1 (262) 364-2030

[mirusa@spirometry.com](mailto:mirusa@spirometry.com)

## FRANCE

### MIR Local Office

Jardin des Entreprises,  
290, Chemin de Saint Dionisy  
30980 LANGLADE (France)

**Phone** +33 (0)4 66 37 20 68  
**Fax** +33 (0)4 84 25 14 32

[mirfrance@spirometry.com](mailto:mirfrance@spirometry.com)